

#7 MOCK-CABLE PULLOVER

designed by Rosemary Drysdale
Experience: Intermediate



SIZES Small (Medium, Large)

KNITTED MEASUREMENTS

Bust 35 (39 1/2, 43)"/87.5 (99, 107.5) cm
Length 20 1/2 (21 1/2, 22 1/2)"/51.5 (54, 56.5) cm

MATERIALS

- 10 (11, 12) 1.75oz/50g skeins (ea approx 108yds/98m) Tahki Yarns COTTON CLASSIC 100% Mercerized cotton in #3001 white
 - One pair size 6 (4mm) needles
- OR SIZE TO OBTAIN GAUGE**
- Crochet hook size F/5 (4mm)

GAUGE

25 sts and 28 rows = 4"/10 cm in Mock Cable

TAKE TIME TO CHECK GAUGE

PATTERN STITCH

Mock Cable (Multi 5 sts + 2 sts)

Note: St count changes on Row 1; it is restored on Row 2.

Row 1: (RS) K1 (es), [work es in St st throughout], P2, * yb, sl 1 purlwise, k2, PSSO, p2; rep from * to last st, k1 (es).

Row 2: P1 (es), k2, * p1, yo, p1, k2; rep from * to last st, p1 (es).

Row 3: K1 (es), p2, * k3, p2; rep from * to last st, k1 (es).

Row 4: P1 (es), k2, *p3, k2; rep from * to last st, p1 (es). Rep Rows 1 - 2 for Mock Cable.

BACK

CO 109 (124, 134) sts; beg Mock Cable. Work even until piece meas 12 1/2 (13, 13 1/2)" from beg, end Row 4 (WSR).

Shape Armhole: (RS) BO 4 (5, 6) sts at beg of next 4 rows, then dec 1 st each side EOR 6 (8, 8) times – 81 (88, 94) sts rem. Work even until armhole meas 7 (7 1/2, 8)" from beg of shaping, end WSR.

Shape Shoulders and Neck: (RS) BO 5 (5, 6) sts at beg of next 4 rows, 4 (6, 6) sts at beg of next 2 rows; AND AT SAME TIME, on first row of shoulder shaping, work across to center 47 (50, 52) sts; join a second ball of yarn and BO center sts for Back neck, work to end. Working both sides at same time, at each neck edge BO 3 sts once.

FRONT

Work as for Back until armhole meas 5 (5 1/2, 6)" from beg of shaping, end Row 4 (WSR).

Shape Neck and Shoulders: (RS) Work 23 (25, 27) sts; join a second ball of yarn and BO center 35 (38, 40) sts for Front neck; work to end. Working both sides at same time, at each neck edge, BO 3 sts 3 times – 14 (16, 18) sts rem each shoulder. When armhole meas same as Back to shoulder shaping, **Shape Shoulders** as for Back.

SLEEVES

Note: Do not work edge sts on sleeves.

CO 57 (62, 67) sts; beg Mock Cable. Work even for 16 rows, end WSR.

Shape Sleeve: (RS) Cont in pat, inc 1 st each side this row, then every 8 rows 6 times, every 6 rows 4 (4, 6) times, working inc sts in pat – 79 (84, 93) sts. Work even until Sleeve meas 16 1/2 (17, 17 1/2)" from beg, end Row 4 (WSR).

Shape Cap: (RS) BO 4 (5, 6) sts at beg of 4 rows, then dec 1 st each side EOR 15 times – 33 (34, 39) sts rem; BO 5 (5, 6) sts at beg of next 4 rows 13 (14, 15) sts rem. BO rem sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Set in sleeves; sew side and sleeve seams.

Neck band: RS facing, using crochet hook, work 1 row sc evenly around neck, then work 1 row Rev sc around.

