



## CABLED PULLOVER

designed by Cornelia Hamilton



INTERMEDIATE

**SIZES** Small (Medium, Large, X-Large)

### KNITTED MEASUREMENTS

- Bust 34 (38 1/2, 43, 47 1/2)"/86.5 (98, 109, 120.5) cm
- Length 17 1/2"/44.5 cm to underarm

### GAUGE

20 sts and 28 rows = 4"/10 cm in St st

**TAKE TIME TO CHECK GAUGE**

### MATERIALS

- 17 (19, 21, 23) 1.75oz/50g balls (137 yds/125 m) Filatura Di Crosa ZARA 100% merino wool in #1709 denim tweed
- One pair size 7 (4.5mm) needles
- OR SIZE TO OBTAIN GAUGE**
- One each size 7 (4.5mm) circular needle, 40"/100cm, 32"/80cm, 24"/60cm, and 16"/40cm long, for yoke and neck
- Cable needle (cn)
- Stitch marker
- Yarn needle

## **SPECIAL TERMS**

**C4F:** Slip 2 sts to cn, hold to front, k2, k2 from cn.

**T4B:** Slip 2 sts to cn, hold to back, k2, p2 from cn.

**T4F:** Slip 2 sts to cn, hold to front, p2, k2 from cn.

**T3B:** Slip 1 st to cn, hold to back, k2, p1 from cn.

**T3F:** Slip 2 sts to cn, hold to front, p1, k2 from cn.

## **PATTERN STITCHES**

### **Small Cable (panel of 4 sts)**

**Rows 1 and 3:** P4.

**Row 2:** K4.

**Row 4:** C4F.

Rep Rows 1-4 for Small Cable.

### **Large Cable (panel of 18 sts; dec to panel of 12 sts)**

**Row 1: (WS)** K7, p4, k7.

**Rows 2 and 6:** P7, k4, p7.

**Row 3 and all WS rows:** Knit the knit sts and purl the purl sts as they face you.

**Rows 4 and 8:** P7, C4F, p7.

**Row 10:** P5, T4B, T4F, p5.

**Row 12:** P3, T4B, p4, T4F, p3.

**Row 14:** P2, T3B, p8, T3F, p2.

**Row 16, 18, 20, and 22:** Rep Row 3.

**Row 24:** P2, T3F, p8, T3B, p2.

**Row 26:** P3, T4F, p4, T4B, p3.

**Row 28:** P5, T4F, T4B, p5.

**Row 30 (Dec Row 1):** P2tog, p5, C4F, p5, p2tog – 16 sts remain.

**Rows 32 and 36:** Rep Row 3.

**Rows 34 and 38:** P6, C4F, p6.

**Row 40:** P4, T4B, T4F, p4.

**Row 42:** P3, T3B, p4, T3F, p3.

**Row 44:** P2, T3B, p6, T3F, p2.

**Rows 46, 48, and 50:** Rep Row 3.

**Row 52:** P2, T3F, p6, T3B, p2.

**Row 54:** P3, T3F, p4, T3B, p3.

**Row 56:** P4, T4F, T4B, p4.

**Row 58:** Rep Row 34.

**Rows 59-85:** Rep Rows 31-57.

**Row 86 (Dec Row 2):** P2tog, p4, C4F, p4, p2tog – 14 sts remain.

**Rows 88 and 92:** Rep Row 3.

**Rows 90 and 94:** P5, C4F, p5.

**Row 96:** P3, T4B, T4F, p3.

**Row 98:** P2, T3B, p4, T3F, p2.

**Rows 100 and 102:** Rep Row 3.

**Row 104:** P2, T3F, p4, T3B, p2.

**Row 106:** P3, T4F, T4B, p3.

**Row 108:** Rep Row 90.

**Rows 109-129:** Rep Rows 87-107.

**Row 130 (Dec Row 3):** P2tog, p3, C4F, p3, p2tog – 12 sts remain.

**Rows 132 and 136:** Rep Row 3.

**Row 134:** P4, C4F, p4.

**Row 137:** Knit the knit sts and purl the purl sts as they face you.

### **Yoke Small Cable (panel of 4 sts)**

**Rnds 1 and 2:** K4.

**Rnd 3:** C4F.

**Rnd 4:** K4.

Rep Rnds 1-4 for Yoke Small Cable.

### **Yoke Large Cable (panel of 12 sts; dec to 1 st)**

**Rnd 1:** P4, k4, p4.

**Rnds 2, 4-6, 8, 10, 12-14, 16, and 18:** Knit the knit sts and purl the purl sts as they face you.

**Rnds 3 and 7:** P4, C4F, p4.

**Rnd 9:** P2, T4B, T4F, p2.

**Rnd 11:** P1, T3B, p4, T3F, p1.

**Rnd 15:** P1, T3F, p4, T3B, p1.

**Rnd 17:** P2, T4F, T4B, p2.

**Rnd 19:** Rep Rnd 3.

**Rnd 20 (Dec Rnd 1):** P1, p2tog, p2, k2tog, p2, p2tog, p1 – 9 sts remain.

**Rnds 21, 23, 25, and 27:** Purl.

**Rnd 22 (Dec Rnd 2):** P1, p2tog, p3, p2tog, p1 – 7 sts remain.

**Rnd 24 (Dec Rnd 3):** P1, p2tog, p1, p2tog, p1 – 5 sts remain.

**Rnd 26 (Dec Rnd 4):** P2tog, p1, p2tog – 3 sts remain.

**Rnd 28 (Dec Rnd 5):** P3tog – 1 st remains.

## BACK AND FRONT (both alike)

Cast on 162 (184, 206, 228) sts.

**Beg Pattern: (WS)** K2 (edge sts, keep in Rev St st), \*work 4 sts in Small Cable, work 18 sts in Large Cable; rep from \* to last 6 sts, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). Work even until Row 135 of Large Cable is complete.

**Shape Armholes: (RS)** Continuing in pattern, bind off 10 (13, 16, 19) sts at beg of next 2 rows – 114 (126, 138, 150) sts remain. Bind off all sts.

## SLEEVES

Cast on 118 (140, 140, 162) sts.

**Beg Pattern: (WS)** K2 (edge sts, keep in Rev St st), \*work 4 sts in Small Cable, work 18 sts in Large Cable; rep from \* to last 6 sts, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). Complete as for Back through armhole shaping – 78 (90, 84, 96) sts remain. Bind off all sts.

## HORIZONTAL YOKE PANEL

Cast on 30 sts.

**Beg Pattern: (WS)** K2 (edge sts, keep in St st), work 4 sts in Small Cable, work 18 sts in Large Cable, work 4 sts in Small Cable, k2 (edge sts, keep in Rev St st). \*Work even until Row 30 of Large Cable is complete, omitting decs on Row 30. Work Rows 1-30 of Large Cable 11 (12, 13, 14) more times, omitting decs on Row 30 (piece should measure about 48 (52, 56, 60)" from beg). Bind off all sts.

## FINISHING

Block pieces to measurements. Sew cast-on and bound-off edges of Horizontal Yoke Panel together.

**Yoke:** RS of Horizontal Yoke Panel facing, using 40" circular needle, beg at seam, pick up and knit 320 (352, 368, 384) sts evenly spaced along one edge of Panel. Join; place marker for beg of rnd. Note: Change to shorter

circular needles when necessary for number of sts on needle.

**Beg Pattern:** \*Work 4 sts in Yoke Small Cable, work 12 sts in Yoke Large Cable; rep from \* around. Work even until entire Yoke Large Cable is complete – 100 (116, 124, 132) sts remain. Bind off all sts in pattern.

Lay Back and Front on flat surface, with Back on bottom and wrong-sides together. Keeping seam of Horizontal Yoke Panel roughly at center Back, pin Panel to bound-off edge of Front so that cables of Yoke line up with cables of Front; pin in Sleeves and Back, easing all pieces to fit as necessary. Sew pieces to Horizontal Yoke Panel. Sew side, Sleeve, and underarm seams. Weave in ends.

